



The undersigned, representative of the following manufacturer,

Manufacturer and address	PITS N.V. Modular Lighting Instruments
	Armoedestraat 71, 8800 Roeselare, BELGIUM

Declares that the product

Product ID Product description

14222432 Marbul recessed 115 1x LED warm dim GE black struc

Complies with the regulations of the following EC directives (including all applicable alterations):

Reference no.	Title
2014/35/EU - Low Voltage Directive	
2014/30/EU - EMC Directive	
2011/65/EU - RoHS Directive	
2009/125/EC - ECOdesign Directive	
(EU) 2019/2020 and amendment (EU) 2021/341	

Statement of (parts of) standards and/or technical specifications which have been applied for this declaration of conformity: Harmonized standards:

Reference no. Title		
EN 60598-1:2015 + A1:2018 - Luminaires General Requirements And Te	sts	
EN 61547:2009 - EMC Immunity Requirements		
EN 62471:2008 - Photobiological Safety Of Lamps And Lamp Systems		
EN 60598-2-2:2012 - Recessed Luminaires		
EN 55015:2013 (incl ISH 1 & ISH 2) - Limits and methods of measureme	nt of radio disturbance characteristics of electrical lighting and similar equipment	
EN 61000-3-2:2014 - Limits for harmonic current emissions (equipment	: input current ≤ 16 A per phase)	
EN 61000-3-3:2013 - Limitation of voltage changes, voltage fluctuations conditional connection	s and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to	
EN IEC 63000:2018 - Technical documentation for the assessment of ele	ectrical and electronic products with respect to the restriction of hazardous substances	
EN 60598-2-2:2012 - Recessed Luminaires EN 55015:2013 (incl ISH 1 & ISH 2) - Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment EN 61000-3-2:2014 - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase) EN 61000-3-3:2013 - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to		

And are produced under quality scheme at least in conformity with ISO9001 and ISO14001.

Place: ROESELARE, BELGIUM Bart Maeyens
Date: 02/11/2021 General Manager

- Contraction of the Contraction