

Modujack Round Recessed 1.8 1x DE


Overview



With Modujack Round Recessed, all you see is a small ceiling ring. Snap in any of our four miniature designs - Gamin, Marbulito, Minute, and Medard - either suspended or surface mounted with jacks, with or without extension rods, and you're done.


How to Specify (example)

1. Select Base → Page 2




Example: **MODUR-R-1.8-1X-DE-WHS**
Modujack Round Recessed 1.8 1x, driver external, white

2. Select Mounting Accessory (optional) → Page 3





Example: **PP-44-MODUR**
Plasterplate, for 4"x4" junction box

3. Select Sticks (optional) → Page 4



Example: **MODUJ-STICK-11.8-WHS**
Modujack Stick 11.8, white

4. Select Luminaire & Remote Driver → See separate luminaire datasheets




Example order:

Quantity	Item
1	MODUR-R-1.8-1X-DE-WHS (Base)
1	PP-44-MODUR (Mounting Accessory)
1	MODUJ-STICK-11.8-WHS (Stick)
1	MEDAR-JACK-A-1.7-1X-30M-DY-DE-WHS (Luminaire)
1	IC-RD-DP-0101-EL-700-20 (Remote Driver)

Modujack Round Recessed 1.8 1x DE

Base Specifications

- For use with Jack luminaires
- Body cover material: aluminum
- Body cover finish: powder coat
- IC (insulation contact) rated
- Driver: not included in the base
- Must be combined with remote driver (specify on the luminaire datasheet)
- Junction box is not required for installation
- Can optionally be combined with mounting accessory (specify on page 3)
- Can optionally be combined with sticks (specify on page 4)




Recessed 1.8 1x DE

Finish Information



Black Structure (BLS)
Powder Coat (Matte)



White Structure (WHS)
Powder Coat (Matte)

Jack Luminaire Compatibility

Luminaire ⁽¹⁾	Ceiling Application	Wall Application	Desk Application
Gamin Jack 3.5 1x DE			
Marbulito Jack Adjustable 1.6 1x DE			
Marbulito Jack Suspended 1.6 1x DE		⁽²⁾	
Medard Jack Adjustable 1.7 1x DE			
Minude Jack Adjustable 1.8 1x DE			
Minude Jack Suspended 1.8 1x DE		⁽²⁾	

⁽¹⁾ See separate luminaire datasheets for information and power supplies.

⁽²⁾ Only in combination with Stick Curved 90°

Ordering Information

Ordering Code	Version	Finish
MODUR-R-1.8-1X-DE-BLS	Modujack Round Recessed 1.8 1x DE	Black Structure
MODUR-R-1.8-1X-DE-WHS	Modujack Round Recessed 1.8 1x DE	White Structure

Modujack Round Recessed 1.8 1x DE


Mounting Accessories Specifications

Plasterplate


- Optional, for installation with a 4"x4" octagonal or 3"x2" junction box
- Plaster finish
- Material: stainless steel
- Thickness: 0.06"
- Weight: 0.2lbs (4"x4" version), 0.1lbs (3"x2" version)

Backplate


- Optional, for installation with a 4"x4" octagonal or 3"x2" junction box
- Backplate covers the junction box
- Backplate can be painted in the field to match the color of the ceiling or wall
- Material: stainless steel
- Finish: powder coat
- Thickness: 0.08"
- Weight: 0.6lbs (4"x4" version), 0.5lbs (3"x2" version)



Plasterplate (4"x4" version)



Plasterplate (3"x2" version)



Backplate


Ordering Information

Ordering Code	Version	Finish
PP-44-MODUR	Plasterplate for 4"x4" octagonal junction box	n/a
PP-32-MODUR	Plasterplate for 3"x2" octagonal junction box	n/a
BP-C-44-MODUR-BLS	Backplate for 4"x4" octagonal junction box	Black Structure
BP-C-44-MODUR-WHS	Backplate for 4"x4" octagonal junction box	White Structure
BP-C-32-MODUR-BLS	Backplate for 3"x2" octagonal junction box	Black Structure
BP-C-32-MODUR-WHS	Backplate for 3"x2" octagonal junction box	White Structure


Modujack Round Recessed 1.8 1x DE

Sticks Specifications


- For use with Modujack base
- Sticks connect electrically and mechanically to the base with the jack connector
- Multiple sticks can be connected to each other (refer to the stick compatibility images for maximum amount)
- Straight sticks are available in 3 lengths (3.9", 7.9" or 11.8")
- Curved sticks are available in 2 angles (90° or 180°)




Modujack Stick 3.9




Modujack Stick 7.9



Modujack Stick 11.8




Modujack Stick Curved 90°




Modujack Stick Curved 180°


Stick compatibility (Gamin luminaire showed for illustration purpose)



Ceiling Application



Ceiling Application



Wall Application

Ordering Information

Ordering Code	Version	Finish
MODUJ-STICK-3.9-BLS	Modujack Stick 3.9	Black Structure
MODUJ-STICK-3.9-WHS	Modujack Stick 3.9	White Structure
MODUJ-STICK-7.9-BLS	Modujack Stick 7.9	Black Structure
MODUJ-STICK-7.9-WHS	Modujack Stick 7.9	White Structure
MODUJ-STICK-11.8-BLS	Modujack Stick 11.8	Black Structure
MODUJ-STICK-11.8-WHS	Modujack Stick 11.8	White Structure
MODUJ-STICKCURV90-BLS	Modujack Stick Curved 90°	Black Structure
MODUJ-STICKCURV90-WHS	Modujack Stick Curved 90°	White Structure
MODUJ-STICKCURV180-BLS	Modujack Stick Curved 180°	Black Structure
MODUJ-STICKCURV180-WHS	Modujack Stick Curved 180°	White Structure