

Modujack Round Deep Recessed 3.5 1x / 2x DE


Overview



Modujack Round Deep Recessed is a mounting option designed for minimalists. This deeply recessed, cove-like base with a subtle trim offers even more exciting possibilities. Snap in any of our four miniature designs - Gamin, Marbulito, Minude, and Medard - either suspended or surface mounted with jacks, with or without extension rods.


How to Specify (example)

1. Select Base → Page 2




Example: **MODUR-DP-R-3.5-1X-DE-BLS**
Modujack Round Deep Recessed 3.5 1x, driver external, black

2. Select Mounting Accessory (optional) → Page 3





Example: **NCF-3.3-1X**
New construction frame

3. Select Sticks (optional) → Page 4



Example: **MODUJ-STICK-11.8-BLS**
Modujack Stick 11.8, black

4. Select Luminaire & Remote Driver → See separate luminaire datasheets




Example order:

Quantity	Item
1	MODUR-DP-R-3.5-1X-DE-BLS (Base)
1	NCF-3.3-1X (Mounting Accessory)
1	MARLI-JACK-SP-1.6-1X-30M-DY-DE-BLS (Luminaire)
1	IC-RD-DP-0101-EL-500-10 (Remote Driver)


Modujack Round Deep Recessed 3.5 1x / 2x DE

Base Specifications


- For use with Jack luminaires
- Suitable for 1 luminaire (1x versions) or 2 luminaires (2x versions)
- Body material: aluminum
- Body finish: powder coat
- IC (insulation contact) rated
- Driver: not included in the base
- Must be combined with remote driver (specify on the luminaire datasheet)
- Can optionally be combined with mounting accessory (specify on page 3)
- Can optionally be combined with sticks (specify on page 4)




Deep Recessed 3.5 1x DE



Deep Recessed 3.5 1x DE - Flange Information



Deep Recessed 3.5 2x DE




Deep Recessed 3.5 2x DE - Flange Information

Finish Information



Black Structure (BLS)
Powder Coat (Matte)



White Structure (WHS)
Powder Coat (Matte)

Jack Luminaire Compatibility

Luminaire ⁽¹⁾	Ceiling Application	Wall Application	Desk Application
Gamin Jack 3.5 1x DE	 ⁽²⁾		
Marbulito Jack Adjustable 1.6 1x DE			
Marbulito Jack Suspended 1.6 1x DE		 ⁽³⁾	
Medard Jack Adjustable 1.7 1x DE	 ⁽²⁾		
Minude Jack Adjustable 1.8 1x DE	 ⁽⁴⁾	 ⁽⁴⁾	
Minude Jack Suspended 1.8 1x DE		 ⁽³⁾	

⁽¹⁾ See separate luminaire datasheets for information and power supplies.

⁽²⁾ Only in combination with sticks

⁽³⁾ Only in combination with Stick Curved 90°

⁽⁴⁾ Maximum 30° adjustability without the use of sticks


Ordering Information

Ordering Code	Version	Finish
MODUR-DP-R-3.5-1X-DE-BLS	Modujack Round Deep Recessed 3.5 1x DE	Black Structure
MODUR-DP-R-3.5-1X-DE-WHS	Modujack Round Deep Recessed 3.5 1x DE	White Structure
MODUR-DP-R-3.5-2X-DE-BLS	Modujack Round Deep Recessed 3.5 2x DE	Black Structure
MODUR-DP-R-3.5-2X-DE-WHS	Modujack Round Deep Recessed 3.5 2x DE	White Structure


Modujack Round Deep Recessed 3.5 1x / 2x DE

Mounting Accessories Specifications

- Optional, with cutout hole for the base
- Material: sheet metal (galvanized steel)
- Used to span joists or attach to t-bar



New Construction Frame for Modujack Round Deep Recessed 3.5 1x DE



New Construction Frame for Modujack Round Deep Recessed 3.5 2x DE


Ordering Information

Ordering Code	Version
NCF-3.3-1X	New Construction Frame for Modujack Round Deep Recessed 3.5 1x DE
NCF-3.3-2X	New Construction Frame for Modujack Round Deep Recessed 3.5 2x DE


Modujack Round Deep Recessed 3.5 1x / 2x DE

Sticks Specifications


- For use with Modujack base
- Sticks connect electrically and mechanically to the base with the jack connector
- Multiple sticks can be connected to each other (refer to the stick compatibility images for maximum amount)
- Straight sticks are available in 3 lengths (3.9", 7.9" or 11.8")
- Curved sticks are available in 2 angles (90° or 180°)




Modujack Stick 3.9




Modujack Stick 7.9



Modujack Stick 11.8




Modujack Stick Curved 90°




Modujack Stick Curved 180°


Stick compatibility (Gamin luminaire showed for illustration purpose)



Ceiling Application



Ceiling Application



Wall Application

Ordering Information

Ordering Code	Version	Finish
MODUJ-STICK-3.9-BLS	Modujack Stick 3.9	Black Structure
MODUJ-STICK-3.9-WHS	Modujack Stick 3.9	White Structure
MODUJ-STICK-7.9-BLS	Modujack Stick 7.9	Black Structure
MODUJ-STICK-7.9-WHS	Modujack Stick 7.9	White Structure
MODUJ-STICK-11.8-BLS	Modujack Stick 11.8	Black Structure
MODUJ-STICK-11.8-WHS	Modujack Stick 11.8	White Structure
MODUJ-STICKCURV90-BLS	Modujack Stick Curved 90°	Black Structure
MODUJ-STICKCURV90-WHS	Modujack Stick Curved 90°	White Structure
MODUJ-STICKCURV180-BLS	Modujack Stick Curved 180°	Black Structure
MODUJ-STICKCURV180-WHS	Modujack Stick Curved 180°	White Structure