



MODULAR
LIGHTING
INSTRUMENTS
— by MLI NA Corporation

Project

Type

Contact

Modujack Round Surface 1.8 1x DE


Overview



Modujack Round Surface is a standalone, easy-to-install system. This circular, surface-mounted ceiling base features power points that welcome a playful mix of plug-in lights and rods. Try the spherical Marbulito, flexible Medard, stylish Minude, or playful Gamin - suspended or surface mounted, with or without extension rods. Modujack Round Surface opens up a world of installation possibilities with miniaturized lighting in any space.


How to Specify (example)

1. Select Base → Page 2




Example: **MODUR-S-1.8-1X-DE-SBBA**
Modujack Round Surface 1.8 1x, driver external, silver bronze

2. Select Mounting Accessory (optional) → Page 3





Example: **PP-44-MODUR**
Plasterplate, for 4"x4" junction box

3. Select Sticks (optional) → Page 4



Example: **MODUJ-STICK-11.8-BLS**
Modujack Stick 11.8, black

4. Select Luminaire & Remote Driver → See separate luminaire datasheets




Example order:

Quantity	Item
1	MODUR-S-1.8-1X-DE-SBBA (Base)
1	PP-44-MODUR (Mounting Accessory)
1	MODUJ-STICK-11.8-BLS (Stick)
1	MINUD-JACK-A-1.8-1X-30M-DY-DE-SBBA (Luminaire)
1	IC-RD-DP-0101-EL-500-10 (Remote Driver)

Modujack Round Surface 1.8 1x DE

Base Specifications

- For use with Jack luminaires
- Body cover material: aluminum
- Body cover finish: chrome plating, powder coat or anodisation
- Driver: not included in the base
- Must be combined with remote driver (specify on the luminaire datasheet)
- Junction box is not required for installation
- Can optionally be combined with mounting accessory (specify on page 3)
- Can optionally be combined with sticks (specify on page 4)



Surface 1.8 1x DE


Finish Information




Black Chrome (BLCR)
Plating (Glossy)




Black Structure (BLS)
Powder Coat (Matte)



White Structure (WHS)
Powder Coat (Matte)



Black (BLBA)
Anodised (Brushed)



Bronze (BRBA)
Anodised (Brushed)



Champagne (CHBA)
Anodised (Brushed)



Silver Bronze (SBBA)
Anodised (Brushed)

Jack Luminaire Compatibility

Luminaire ⁽¹⁾	Ceiling Application	Wall Application	Desk Application
Gamin Jack 3.5 1x DE	Ⓜ	Ⓜ	
Marbulito Jack Adjustable 1.6 1x DE	Ⓜ	Ⓜ	
Marbulito Jack Suspended 1.6 1x DE	Ⓜ	Ⓜ ⁽²⁾	
Medard Jack Adjustable 1.7 1x DE	Ⓜ	Ⓜ	
Minude Jack Adjustable 1.8 1x DE	Ⓜ	Ⓜ	
Minude Jack Suspended 1.8 1x DE	Ⓜ	Ⓜ ⁽²⁾	

⁽¹⁾ See separate luminaire datasheets for information and power supplies.

⁽²⁾ Only in combination with Stick Curved 90°

Ordering Information

Ordering Code	Version	Finish
MODUR-S-1.8-1X-DE-BLCR	Modujack Round Surface 1.8 1x DE	Black Chrome
MODUR-S-1.8-1X-DE-BLS	Modujack Round Surface 1.8 1x DE	Black Structure
MODUR-S-1.8-1X-DE-WHS	Modujack Round Surface 1.8 1x DE	White Structure
MODUR-S-1.8-1X-DE-BLBA	Modujack Round Surface 1.8 1x DE	Black Brushed
MODUR-S-1.8-1X-DE-BRBA	Modujack Round Surface 1.8 1x DE	Bronze Brushed
MODUR-S-1.8-1X-DE-CHBA	Modujack Round Surface 1.8 1x DE	Champagne Brushed
MODUR-S-1.8-1X-DE-SBBA	Modujack Round Surface 1.8 1x DE	Silver Bronze Brushed

Modujack Round Surface 1.8 1x DE


Mounting Accessories Specifications

Plasterplate


- Optional, for installation with a 4"x4" octagonal or 3"x2" junction box
- Plaster finish
- Material: stainless steel
- Thickness: 0.06"
- Weight: 0.2lbs (4"x4" version), 0.1lbs (3"x2" version)

Backplate


- Optional, for installation with a 4"x4" octagonal or 3"x2" junction box
- Backplate covers the junction box
- Backplate can be painted in the field to match the color of the ceiling or wall
- Material: stainless steel
- Finish: powder coat
- Thickness: 0.08"
- Weight: 0.6lbs (4"x4" version), 0.5lbs (3"x2" version)



Plasterplate (4"x4" version)



Plasterplate (3"x2" version)



Backplate


Ordering Information

Ordering Code	Version	Finish
PP-44-MODUR	Plasterplate for 4"x4" octagonal junction box	n/a
PP-32-MODUR	Plasterplate for 3"x2" octagonal junction box	n/a
BP-C-44-MODUR-BLS	Backplate for 4"x4" octagonal junction box	Black Structure
BP-C-44-MODUR-WHS	Backplate for 4"x4" octagonal junction box	White Structure
BP-C-32-MODUR-BLS	Backplate for 3"x2" octagonal junction box	Black Structure
BP-C-32-MODUR-WHS	Backplate for 3"x2" octagonal junction box	White Structure


Modujack Round Surface 1.8 1x DE

Sticks Specifications


- For use with Modujack base
- Sticks connect electrically and mechanically to the base with the jack connector
- Multiple sticks can be connected to each other (refer to the stick compatibility images for maximum amount)
- Straight sticks are available in 3 lengths (3.9", 7.9" or 11.8")
- Curved sticks are available in 2 angles (90° or 180°)




Modujack Stick 3.9




Modujack Stick 7.9



Modujack Stick 11.8




Modujack Stick Curved 90°




Modujack Stick Curved 180°


Stick compatibility (Gamin luminaire showed for illustration purpose)



Ceiling Application



Ceiling Application



Wall Application

Ordering Information

Ordering Code	Version	Finish
MODUJ-STICK-3.9-BLS	Modujack Stick 3.9	Black Structure
MODUJ-STICK-3.9-WHS	Modujack Stick 3.9	White Structure
MODUJ-STICK-7.9-BLS	Modujack Stick 7.9	Black Structure
MODUJ-STICK-7.9-WHS	Modujack Stick 7.9	White Structure
MODUJ-STICK-11.8-BLS	Modujack Stick 11.8	Black Structure
MODUJ-STICK-11.8-WHS	Modujack Stick 11.8	White Structure
MODUJ-STICKCURV90-BLS	Modujack Stick Curved 90°	Black Structure
MODUJ-STICKCURV90-WHS	Modujack Stick Curved 90°	White Structure
MODUJ-STICKCURV180-BLS	Modujack Stick Curved 180°	Black Structure
MODUJ-STICKCURV180-WHS	Modujack Stick Curved 180°	White Structure